

# Actual4Dump



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarante in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4dump.com>

Superb Exam Dumps Materials lead you to get your certification easily - Actual4dump

**Exam** : **1z1-116**

**Title** : Oracle Database Security  
Administration

**Vendor** : Oracle

**Version** : DEMO

**NO.1** Which three are true concerning command rules?

- A. Object privileges override command rules.
- B. A command can have only one command rule that applies to it.
- C. If a command rule's associated rule set evaluation results in an error, the command is not allowed to execute.
- D. System privileges override command rules.
- E. If a command rule's associated rule set is disabled, then the rule set evaluates to true.
- F. For DML statement command rules, you can specify a wildcard for the object name.
- G. For DML statement command rules, you can specify a wildcard for the object owner.

**Answer:** D,F,G

**NO.2** Examine these statements which execute successfully:

```
SQL> CONNECT hr/password@ORCL

SQL> CREATE CONTEXT empno_ctx USING set_empno_ctx_proc ACCESSED GLOBALLY;

SQL> CREATE OR REPLACE PROCEDURE set_empno_ctx_proc( emp_value IN VARCHAR2)
2   IS
3   BEGIN
4       DBMS_SESSION.SET_CONTEXT('empno_ctx', 'empno_attr', emp_value);
5   END;
6   /

SQL> EXECUTE set_empno_ctx_proc ('42783')

SQL> SELECT * FROM SESSION_CONTEXT;

no rows selected
```

Which are the two reasons that no rows are returned from the query?

- A. An administrator issues the ALTER SYSTEM FLUSH global context statement.
- B. The set\_empno\_ctx\_proc procedure must be in a package.
- C. Enterprise User Security is not configured and used for the user.
- D. The application context is global.
- E. Only DBA users can query SESSION\_CONTEXT view contents.

**Answer:** C,D

**NO.3** The listener configuration contains these lines related to Valid Node Checking for Registration (VNCR):

```
VALID_NODE_CHECKING_REGISTRATION_LISTENER=on
REGISTRATION_EXCLUDED_NODES_LISTENER = (192.168.10.1, 192.168.20.2, 10.1.20.*)
REGISTRATION_INVITED_NODES_LISTENER = (10.1.10.4, 192.168.20.*)
```

Which two statements are true?

- A. Listener listener will allow instance registration from IP address 192.168.20.2.
- B. Listener listener will allow instance registration from REGISTRATION\_INVITED\_NODES\_LISTENER.
- C. Listener listener will only deny instance registration from REGISTRATION\_EXCLUDED\_NODES\_LISTENER.
- D. Both parameters cannot be set at the same time so will be ignored.
- E. Listener listener will deny instance registration from IP address 192.168.20.2.

**Answer:** B

**NO.4** Which two does the master key encrypt with Transparent Data Encryption?

- A. encrypted columns
- B. encrypted column keys
- C. temporary segments
- D. encrypted tablespace keys
- E. encrypted tablespaces
- F. encryption wallet

**Answer:** C,F

**NO.5** Which four products, features, or methods can help facilitate compliance with various privacy-related regulatory requirements such as PCI-DSS and the EU GDPR?

- A. Database Vault
- B. Transparent Data Encryption
- C. Data Redaction
- D. Real Application Testing
- E. Data Masking & Subsetting
- F. Data Guard
- G. GoldenGate
- H. Oracle Sharding
- I. Table Partitioning
- J. Real Application Clusters

**Answer:** C,D,E,F

**NO.6** What does the Application Data Modeling module of the Oracle Data Masking and Subsetting Pack search for?

- A. data redaction policies
- B. encrypted columns
- C. parent/child relationships between the columns holding sensitive information
- D. data masking transformations

**Answer:** C

Explanation:

Create an Application Data Model - To begin using Oracle Data Masking and Subsetting, you must create an Application Data Model (ADM). ADMs capture application metadata, referential relationships, and discover sensitive data from the source database.

<https://docs.oracle.com/database/121/DMKSB/intro.htm#:~:text=Create%20an%20Application%20Data%20Model,data%20from%20the%20source%20database.>

**NO.7** Examine this security parameter and its value:

SEC\_USER\_ONAUTHORIZED\_ACCESS\_BANNER=/opt/oracle/admin/data/unauthwarning.txt In which file must you include this parameter?

- A. aqlnet.ora
- B. init.ora

- C. names.ora
- D. server.xml
- E. tnsnaroes.ora
- F. listener.ora

**Answer:** F

**NO.8** Examine this command :

GRANT EXEMPT ACCESS POLICY TO PUBLIC;

Which Transparent Sensitive Data Protection functionality will be affected when this command is executed?

- A. Bind Masking
- B. Data Redaction
- C. Transparent Data Encryption
- D. Virtual Private Database

**Answer:** C