

Actual4Dump



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarante in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4dump.com>

Superb Exam Dumps Materials lead you to get your certification easily - Actual4dump

Exam : **AD0-E127**

Title : Adobe Experience Manager
Backend Developer

Vendor : Adobe

Version : DEMO

NO.1 What is a valid value when choosing the entity to which a data model object read service argument can be bound?

- A. Request Attribute
- B. Path parameter
- C. HTTP Header

Answer: B

Explanation:

This is a valid value when choosing the entity to which a data model object read service argument can be bound⁴. A path parameter is a part of the URL that identifies a specific resource or value. For example, in the URL <https://example.com/api/customers/1234/orders>, 1234 is a path parameter that represents a customer ID.

NO.2 How does a XFA script behave in an XDP file, based on the XFA script event "validationState"?

- A. It is mapped to the Allows multiple selection property in adaptive form.
- B. The script is executed at runtime and cannot be overridden in adaptive form.
- C. It is mapped to the Validation expression in adaptive form.

Answer: C

Explanation:

This is how a XFA script behaves in an XDP file, based on the XFA script event "validationState"¹. The validationState event occurs when a field value changes and the field needs to be validated. The script in this event can be used to check the validity of the field value and set the validation message accordingly. In adaptive forms, this script is mapped to the Validation expression property of the field, which can be used to define a custom validation rule using JavaScript.

NO.3 An AEM Forms developer is creating a workflow model for review and approval and wants to introduce conditional processing paths in the workflow. The developer decides to split the workflow to meet this goal.

Which component is required to take this action?

- A. AND Split
- B. OR Split
- C. ECMA Split

Answer: C

Explanation:

This is a component that is required to introduce conditional processing paths in the workflow³. It allows the developer to define a condition using ECMA script that determines which path to follow based on the evaluation of the condition.

NO.4 Which user group can create and preview adaptive forms or interactive communications templates for AEM Forms on OSGi?

- A. fdm-authors
- B. forms-submission-reviewers
- C. template-authors

Answer: C

Explanation:

This is the user group that can create and preview adaptive forms or interactive communications templates for AEM Forms on OSGi3. The template-authors group has permissions to access and use the template editor and preview features.

NO.5 Which location will an AEM Forms developer need to access to deactivate keyboard shortcuts in an AEM console?

- A.** My Preferences
- B.** Tools Section
- C.** Settings Tab

Answer: A

Explanation:

This is the location that an AEM Forms developer needs to access to deactivate keyboard shortcuts in an AEM console. The My Preferences option can be accessed by clicking on the user icon on the top right corner of the console. It allows the developer to customize various settings such as language, time zone, keyboard shortcuts, and notifications.